

**METHOD AND SYSTEM FOR CREATING, USING
AND MODIFYING MULTIFUNCTIONAL WEBSITE HOT SPOTS**

5 CROSS REFERENCE TO RELATED APPLICATIONS

 This application claims the benefit of provisional application Serial No.
60/210,300 filed June 8, 2000.

10 STATEMENT REGARDING FEDERALLY SPONSORED
 RESEARCH OR DEVELOPMENT

N/A

15 COPYRIGHT NOTICE

 A portion of the disclosure of this patent document contains material that is
subject to copyright protection. The copyright owner has no objection to the facsimile
reproduction by anyone of the patent document or patent disclosure as it appears in the
20 Patent and Trademark Office patent file or records, but otherwise reserves all copyrights
rights whatsoever.

BACKGROUND OF THE INVENTION

1. Field of the Invention

25 This invention relates generally to multifunctional website hot spots, i.e.
hyperlinks, and more particularly, to a program or software based tool for creating, using,
modifying and/or modifying multifunctional hot spots in web applications that run over a
globally accessible network and a function expanding menu bar.

30 2. Description of the Background Art

 Interactive digital media and the use of hyper-linking tools to visit a designated
location or perform a pre-defined function, such as hot spots, are generally known in the
art. For instance, hyper-linking tools have been developed for making text and graphics
available for interactive use, such as linking to pages within a website or to other
35 websites, making purchases or initiating other actions. A link is typically made using
text, icons, images or other objects appearing in a display to access another text file,
program or media function. NBCi (a trademark of NBC Internet, Inc.) provides a website

at "quickclick.com" that assigns a hyperlink to certain words for accessing other webpages and/or websites when those words are clicked. Based on current technology, hot spots and hyper links are limited to preordained functions and are internally static, such that they have not been programmed or modified to perform a wide variety of functions. In addition, hot spots have not been widely adapted or incorporated into video files. As the applications employed on the Internet fail to adequately address the foregoing issues, the instant invention gives the end user the ability to effectively and efficiently control and change the response of multifunctional hot spots and hyperlinks on a website. Consequently, this invention would be well received, especially in connection with video.

As noted, the use of hyperlinks and hotspots are known in the art, however current applications are static and do not address the problems noted above. For instance, U.S. Patent No. 5,918,012 discloses the hyperlinking of time-based data files and embedding movies into other file types. It does not disclose the use of hot spots, as contemplated by the instant invention, and does not load the data file at startup but rather consults it on every click. U.S. Patent No. 5,708,845 discloses a system for mapping hot spots in media content for interactive digital media program. This patent discloses data files being separate from the video and linking to additional types of data. However, it fails to disclose the ability to change the type of information each hot spot links to, or having a hot spot that links to multiple databases or sites. U.S. Patent No. 5,539,871 discloses a method and system for accessing associated data sets in a multimedia environment in a data processing system and associating data with elements in a multimedia presentation. The user may elect to have the associated data set presented by selecting the additional graphic element associated with the animated element. U.S. Patent No. 5,970,504 discloses a moving image anchoring and hypermedia apparatus which estimates the movement of an anchor based on the movement of the object with which the anchor is associated and time intervals in which the hyperlink is active.

The foregoing prior art fails to disclose hyperlink and hot spot technology that is flexible, adaptable for use in digital media files, such as audio and video, platform independent, multi-tasked, and changeable and adaptable in functionality. The prior art also fails to disclose a menu bar that communicates with hot spots for creating, using and

modifying website hot spots. Hyperlink and hot spot technology having these specifications would be well received. Consequently, there exist a need for programmable hyperlinks, multifunctional hot spots and a corresponding interactive menu bar.

5

SUMMARY OF THE INVENTION

The instant invention comprises an apparatus, system and method for creating multifunctional hotspots preferably for use in conjunction with digital media files, such as prerecorded and live-streamed audio and/or video, or other website content. The

10 instant invention comprises software for expanding interaction between users and websites via a globally accessible network, such as the Internet or locally accessible networks. The software is preferably written in the JAVA programming language or other applications-based development software which is operational on a wide variety of computing platforms. The instant invention may further comprise source code that is

15 convertible to executables as is known in the art. The software of the instant invention preferably facilitates the use of a digital media file, such as a digital video source or video stream, as a conduit for accessing related or targeted information through multifunctional hotspots imbedded or residing therein. The multifunctional hotspots may access information within the user's system, or a globally accessible network or over any local

20 area network. Prerecorded and/or live streamed video is preferred as it provides a unique foundation for affording the user the opportunity to interact with video and other content in the website through activating with multifunctional hotspots having a plurality of different modes or functions. The multifunctional hot spots preferably comprise hyperlinks to other URL addresses and/or targeted databases. The multifunctional hot
25 spots are preferably delineated by outlines or illumination, as visual cues to alert the user that clicking within the "multifunctional hot spot area will" give them access to additional information, files or locations. This is analogous to a hypertext link being highlighted in an HTML format when the cursor moves over it.

The software further comprises a function expandable menu bar for identifying,
30 offering and delivering the plurality of activity modes of the instant invention. The function expandable menu bar comprises a plurality of different activity modes or options

which is preferably displayed at the bottom area of the video being played. The location of the function expandable menu bar may vary. The function expandable menu bar comprises a plurality of different modes/functions including a shop mode ("clickvideoshopTM" a trademark of applicants), a digital call mode ("cooldigicallTM" a trademark of applicant), a digital storage and retrieval mode ("digitallocker TM" a trademark of applicant), a bid mode, an interact mode ("cool-interaction TM" a trademark of applicant), a link mode, and an entertainment mode. A multifunctional hot spot can support one or more modes at any time. The shopping mode allows a user to fill a shopping cart with digital media files, the object or merchandise that was highlighted by the hot spot and other items for purchase. The digital call mode provides video conferencing and/or internet originated and operated telephone calls ("e-callsTM") between two or more software users. The digitallocker mode provides a storage area for saving and playing digital media files selected therefrom. The bid mode facilitates audio and/or video communication between multiple users/clients in a multicast communication interface for conducting an auction and/or receiving bids for obtaining products or product information. The interact mode facilitates interaction between users and live-streamed Internet programs. The link mode hyperlinks to related or targeted web pages and/or web sites in an auxiliary browser. The entertain mode accesses related or targeted web sites, information and/or digital media files. Clicking an option in the menu bar determines the action to be taken when a user clicks on a multifunctional hot spot.

Hot spots support at least one of the modes provided by the function expandable menu bar and can support all modes if desired. The software of the instant invention provides for a virtually unlimited number of associations between digital media files, such as video and Internet accessible information. The menu bar is configured to expand for the support of additional relationships, actions and links. For example, during playback of a music video, a hot spot could load and make available in-depth product or performer information (Celebrity VideoTimeCapsulesTM) and (Celebrity VideoBiographiesTM) related to something in the video, a bid submission form, or an additional media file. The function of hot spots may vary during the running of a digital media file based on time stamps or other parameters. The action of the hot spots could be determined by a length of time into a video, or beginning and ending time stamps within

the video or software correlating to the video. A multifunctional hot spot is activated when a user moves the cursor into the designated area at a point in time within the time-stamped interval in which the hot spot is specified to be active for a certain activity. An active hot spot is one in which the perimeter of its area is visible, or the area has been illuminated. A multifunctional hot spot comprises a designated area within a digital media file, such as a video stream or wave file for accessing information or data residing on a particular website or database. The hot spots may further include the beginning and ending time stamps specified in a data file, which may be loaded when a video is loaded and contain as many hot spot definitions as necessary. When a video reaches the end, a data file may specify whether or not the video should start at the beginning or some other designated location.

In accordance with the foregoing, it is an object of the instant invention to provide a software based apparatus, system and/or method for multifunctional hotspots that may be created or modified in accordance with predetermined parameters or user inputs.

It is also an object of the instant invention to provide an apparatus, system and method for creating and/or modifying multifunctional hotspots with a plurality of applications that may be activated or rendered idle based on predetermined parameters or user inputs.

It is a further object of the instant invention to provide an expandable menu bar having a plurality of hot spot defining options and an interface for receiving user inputs for defining the next action of the hot spot based on the user input.

In accordance with these and other objects, which will become apparent hereinafter, the instant invention will now be described with particular reference to the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Figs. 1A-1C are a software flow diagram illustrating the operation, features and use of and user interaction with the instant invention in accordance with the preferred embodiment.

Figs. 2A-2C are a software flow diagram illustrating another embodiment of the operation, features and use of and user interaction with the instant invention.

Figs. 3-5 are illustrative views of representative and alternative screen displays in accordance with the instant invention.

DETAILED DESCRIPTION OF THE INVENTION

With reference to the drawings, Figs. 1A-C to 5 disclose the preferred
5 embodiments of the instant which is generally referenced by numeric character 10 and/or
as ClickVideoShop™ (a trademark of Applicant) system and/or software ("CVSSW", a
trademark of Applicant). The instant invention 10 comprises an interactive software
based system and device having processor readable code 100 and/or 200, as shown in
Figs. 1A-1C and 2A-2C, respectively, stored on a tangible medium that can add, use,
10 change, adapt and process hot spots, such as hyperlinks and other known actions, in video
files, audio files, digital files and/or designated areas of a website or webpage, so as to
provide multifunctional hot spots. The instant invention 10 adds multifunctional hot
spots to video and/or audio files or other types of digital files and provides a means for
using and modifying the functions of the hot spots. Thus, the hot spots may be
15 programmed with multiple objects and/or functions that may be activated or deactivated
through a menu bar 93 having a plurality of modes and means for activating same, such
as control buttons 94 that define the hot spot(s) with a predetermined function in response
to successful user interaction with the buttons 94 in accordance with the invention. The
software of the invention 100, 200, hot spots and corresponding objects or applications
20 are platform independent and may be defined in one or more databases. The hot spots
may be programmed with hyperlinks, JAVA applications and/or other types of
applications based code for performing various functions while a user is residing in a
video file, audio file or other location within a webpage or website, such as making a bid
in a bidding or auction system mode 91, linking to another web page or URL address in a
25 link mode, linking to other videos or audio files in an entertainment mode, placing a
digital telephone call in a digital call mode, or transmitting or accessing other types of
communications, systems (e-mail, etc.) and information, as shown in Figs. 1A-3. The
invention 10 embeds, links or makes available multifunctional hot spots that change
modes automatically based on predetermined parameters or user interaction with the
30 menu bar 93 in the video file, audio file or other type of digital file or location with the
corresponding website or webpage.

0987729.00001

The hot spot functions comprise a plurality of actions that are accessible on the function expandable menu bar. The function expandable menu bar comprises the plurality of different functions or modes. The clickvideoshop mode is configured to perform various actions when activated. The shop mode allows a user to click a hot spot and add items to a shopping cart. The cooldigicall™ facilitates video conferencing and digital phone calls over a globally accessible network between two or more clickvideoshop™ software users. The digitallocker™ mode comprises a device and means for storing and retrieving audio media, video media or other designated data or files. The digitallocker mode™ mode may further facilitate the separation of audio and visual tracks as well as the storage of individual tracks independently. The bid mode facilitates audio and video communication between multiple clickvideoshop™ software users by initiating a clickvideobay™ (a trademark of application) and clickvideohub™ (a trademark of applicant). The bid mode may provide a multi-cast communication interface by providing a shared white board, chat rooms, instant messaging, auctions for exchanging product and production information that is disseminated via video or text, e-mail notification of selected highlights and a view of the user's digitallocker™, with the ability to add audio and video from the multi-cast session. The interact mode facilitates interaction between the user and live-streamed internet programs. The user is able to communicate and/or interact with network designated queues by clicking on hot spots in a live audio and/or video streamed file being broadcasted over the internet. In the interactive mode, the user can also interact or communicate by using multi-task communication windows and the teleconference functions of the software, such as that provided by the digital call mode. In these modes, the user can activate a voice recognition function to activate certain software functions and initiate the multifunctional hot spots in the live streamed audio and/or video file. In the link mode, hot spots in the main audio and video file are initiated and open web pages, websites or other URL addresses in an adjacent browser or window or in a main playback browser/window. In the entertainment mode, the activation of hot spots causes the opening of related or targeted audio and video and/or video files related to the designated hot spot and an auxiliary browser/window. Examples of related video files may comprise video

biographies, video time capsules and other entertaining audio and video files (VideoBiographies and celebrity VideoTimeCapsules are trademarks of applicant).

The invention 10 may incorporate HTML language or a comparable language for loading documents through a web browser. The HTML document loaded by the web browser may contain a downloadable custom plug-in(s) that implements an algorithm, and/or tags that specify, among other things, the path to a Java applet containing the object, source, executable or application code necessary to execute the multifunctional hot spots and currently active function as defined by a predetermined parameter or user input; the path to the video or audio file that the applet will play; and/or the path to a data file that contains variables used to create objects and/or applications having the information needed to identify, define and activate the multifunctional hot spots and their location in designated areas on the screen or in the corresponding digital file. A data file contains tags that can specify various functions when a hot spot is activated, such as, whether the video file should only play once or play in a continuous loop; the URL of the web page or website to open when a hot spot is activated; an electronic signature that uniquely identifies a user and item(s) for adding to a shopping cart; the URL of a video file or audio file to play when a hot spot is activated; an electronic signature that uniquely identifies a purchased or auctioned item such that a request or bid for it can be entered into a multicast bidding or purchasing system; and/or an electronic signature that uniquely identifies an item or area on the screen that once initiated a communication system/digital calling system is activated in accordance with the digital call mode 95.

The instant invention requires, but is not limited to, at least one tag in the data file, and at least one of the above noted steps should be specified for defining the "hot spot's" functionality, as defined through the mode control bar 93. In accordance with the teachings of the instant invention, a "hot spot" can be programmed with more than one definition or functionality, and the mode control bar can be expanded to an indefinite number of mode control features and buttons.

Referring to Figs. 1A-1C, the logic and operation of the preferred software 100 of the instant invention 10 is shown. With reference to Fig. 1A, the user powers up the computer and initiates the click video shop™ software 100, which reads the configuration information for the hot spots (101-104). The software 100 then determines what mode it

is in for determining what action to take when a hot spot is activated. If the software 100 is in the digital call mode, then the software 100 determines whether another client is attempting to establish a contact with another user (105-106). If not, then the software 100 determines whether the user has entered a name of a user contact for initiating and placing a call (107). In either event, once a target user has been identified, the software 100 initiates a connection between the users/clients to facilitate audio and video communication between the clients (108). The software 100 maintains an A/V connection between the two clients throughout the call (109). Throughout the call, the software 100 monitors the activity to determine whether the primary client user has switched modes (110). If yes, then the software 100 moves back to determine what new mode has been activated. If a new mode has not been selected, then the software 100 continues to monitor whether the user is on the digital call and maintains the A/V connection between the two clients throughout the duration of the call (111).

With reference to Fig. 1B, the software 100 determines whether the user has selected the bid mode (112). If yes, then the software 100 initiates a ClickVideoBay™ in a ClickVideoHub™, which is a multicast communication interface to facilitate A/V communication between multiple clients (113). The multicast communication interface comprises a white board shared between software clients, a section for text input and output to provide chat rooms between software clients, a section to facilitate instant messaging, a section to facilitate auctions among software clients, with product listing information presented via video or text, e-mail notifications of selected meeting highlights, a section displaying the contents of a user's digital locker and the ability to add audio and video media from the multicast meeting (113). Thereafter, the software 100 executes the desired user action, including updating the contents of each user's white board to keep them in sync with all other users, updating the chat room section of the window with statements and replies for all users, processing bid submissions and approvals by users, displaying e-mail alerts containing information, and sending and displaying instant messages (114). Throughout, the software 100 monitors whether the user has switched modes (115). If no, the software continues to execute the desired user actions. If yes, then the software 100 moves back to the mode identification routine.

The software 100 also determines whether the user has selected and activated the digital locker™ mode (116). If yes, then the software 100 initiates and displays a window containing the contents of the user's digital locker™ (117). The digital locker™ is a storage area hosted on a remote system or database that allows the user to save, retrieve and play back all digital forms of audio and video media. It also facilitates the separation of audio and visual tracks in the storage of each track independently. Throughout the digital locker™ mode, the software 100 monitors whether the user has switched modes (118).

If no mode is determined as being selected, the software 100 determines whether the user has exited the program (119). If not, the software 100 reads the multi-functional hot spot data file (HSDF) and creates and initializes custom defined objects based on information in the HSDF (121-122). The software 100 registers areas on the screen or in the video as multi-functional hot spots using a region obtained from the HSDF (123). The software 100 then loads the movie/video/audio file and activates and/or draws the menu bar 93 at the bottom of the video playback area or some other designated location (124). The software 100 then plays the movie/video/audio file (125). The hot spot is continuously monitored to determine whether the user has placed the cursor over a hot spot (126) and if not, it continues to play the file. If the user has placed the cursor over a hot spot, then the software 100 determines whether the current time position of the movie playback is within the range specified by the custom object (126-128). With reference to Fig. 1C, if the movie is within the time stamped range, then the software 100 highlights the area specified by the hot spot object (129). The program then determines whether the user has clicked the hot spot (130). If not, the program determines whether the user has changed modes or is remaining in the "play movie" mode. If the user clicks the hot spot, then the software 100 determines what mode the user has selected (130, 131, 133, 135, 137). Depending on the time stamped region and HSDF, the software 100 will activate the action corresponding to the mode and the video file time stamped range. If in the shop mode, then the software 100 will add products referenced by the hot spot to the user's shopping cart (132). If in the link mode, then software 100 opens with information relevant to the item referenced by the hot spot object and presents this information as a web page, jpeg, mpeg or other multi-media format (134). If the user has selected the

entertainment mode, then the software 100 opens a movie/video/audio file whose content is related to the item referenced by the hot spot object as it correlates to the time stamped period in the video or movie (136). If the user has selected the cool interact™ mode then the software 100 plays a live audio/video stream that contains hot spots and a multicast communication window is open and the user is able to control certain software functions via voice recognition (138). The software 100 makes all modes available simultaneously for selection and continues to monitor user activity for determining what actions to take when a hot spot is activated, as shown in Figs. 1A-1C.

The logic and operation of an embodiment of the software 200 of the invention 10 is shown in Figs. 2A-2C. With reference to Fig. 2A, a user powers up the computer, launches a web browser and loads an HTML document containing a downloadable custom plug-in(s) that implements an algorithm and/or tags that pass parameters to a Java applet (212-218). It is important to note that a downloadable custom plug-in(s) may be used to implement an algorithm to perform the same tasks, instead of a Java applet. Consistent therewith, the applet reads the data file, creates and initializes custom defined objects or functions in accordance with the data file and registers areas on the screen as hot spots using a geometric region obtained from the custom defined objects (220-224). The applet loads the video or audio file and draws or uploads a menu bar 93 at the top, bottom or other location in or near the video area 90 where the video or audio file is displayed and plays the file (226-228). The applet gives a visual cue, such as highlights, illumination, or shading in or around the area of the hot spot(s) for a particular time interval, such as ten (10) seconds (230), which occurs while the movie is playing, but not necessarily all at the same time. Time stamps may be placed in the video or audio file or a corresponding routine for monitoring and communicating with the video and hot spot function for activating and deactivating functions based on the progress of the video or audio file in relation to the time stamps. User inputs in the menu bar 93 may override predetermined functions and/or time stamps.

With reference to Fig. 2B, the software 200 of the invention 10 continually monitors whether the screen cursor is over a hot spot (232). If the cursor is detected as not being over a hot spot, then the invention 10 determines whether a control bar action has been activated (256). If the cursor is detected as being over a hot spot, then it checks whether

the current time position of the movie playback is within the range specified by the custom defined object (234). If the answer is no, then the program 10 determines whether a control bar action has been activated (256). If the time position is within the specified range, then the applet gives a visual cue in the area specified by the hot spot object (236).

5 Next, the program of the invention determines whether the user has "clicked" or otherwise activated the hot spot. If no, then the program goes on to determine whether a control bar action has been activated (256). If the user activates the hot spot (i.e. clicks it), then the program determines the mode of the applet (240-252), as shown in Fig. 2B. If in the shop mode, the applet adds the items specified by the custom defined object to
10 the user's shopping cart (240-242). If the applet is in the entertain mode, then it opens another browser window, playing the video or audio file located at the URL address obtained from the custom defined object in the corresponding hot spot (244-246). If the applet is in the bid mode, then it activates the bidding routine of the software and enters bids correlating to electronic signatures as they are made into the bidding system for the
15 item specified by the custom defined object (248-250). If the applet is in the link mode, and the hot spot is activated then it the program opens a browser window and links to the URL obtained from the custom defined object in the hot spot (252-254). After determining the applet mode or lack thereof, the program 200 determines whether the user clicked or activated the mode or control buttons/bar 93.

20 Regardless of how the user or program 200 gets to the decision block for determining whether the user has clicked in the control bar 93, the program 200 proceeds with said inquiry and several other inquires depending on the responses. For instance, if the program determines that the user has not clicked in the control bar (256), then it determines whether the video or audio file has reached the end (274). If not, the program
25 200 loops back to determine whether the cursor is over a hot spot (232). If the video or audio file is determined to have reached the end, then the program 200 checks the data file to see if the video should go into a continuous loop (276). If yes, then the program 200 loops back and continues playing the movie (228). If no, then the program stops (278). If the program has determined that the user has in fact clicked in the control bar
30 (256), then it ascertains what mode was selected from the control bar (258-272). After

the mode or option has been determined, the program checks to see if the video or audio file has reached the end, as described above (274-276).

The instant invention has been shown and described herein in what is considered to be the most practical and preferred embodiment. It is recognized, however, that
5 departures may be made therefrom within the scope of the invention and that obvious structural and/or functional modifications will occur to a person skilled in the art.

0987729.060801